



**LARGE SIZE
AUTOMATIC BALERS**

MODEL	XTY-1000W11080-60	XTY-1000W11080L-60	XTY-1000W110110-60	XTY-1000W110110L-60
Pressure	100tons	100tons	100tons	100tons
Main Motor Power	45kw	45kw	45kw	45kw
Cooling System	air cooler / water cooler	air cooler / water cooler	air cooler / water cooler	air cooler / water cooler
< Cycle Time (unload)	14s	16s	14s	16s
Oil Reservoir	1600L	1600L	1600L	1600L
Number of Belting	4lines	4lines	5lines	5lines
Wire Size	Ø3.0-3.2	Ø3.0-3.2	Ø3.0-3.2	Ø3.0-3.2
Feed Opening Size (L*W)	1600*1050mm	1800*1050mm	1600*1050mm	1800*1050mm
Chamber Size (L*W*H)	2100*1100*800mm	2400*1100*800mm	2100*1100*1100mm	2400*1100*1100mm
Bale Size (L*W*H, L is adjustable)	L*1100*800mm	L*1100*800mm	L*1100*1100mm	L*1100*1100mm
Bale Density (OCC)	450-550kgs/m3	450-550kgs/m3	450-550kgs/m3	450-550kgs/m3
Throughput (30-60kgs/m3)	5-9tons/h	5-10tons/h	6-11tons/h	6-12tons/h
Machine Weight	15tons	16tons	17tons	18tons
Machine Overall Dimension	8500*4000*4200mm	9100*4000*4200mm	8700*4000*4200mm	9300*4000*4200mm
Feeding Device	Conveyor	Conveyor	Conveyor	Conveyor
CONVEYOR				
Feeding Width	1600mm	1800mm	1800mm	1600mm
Speed	12m/min	12m/min	12m/min	12m/min
Power	7.5KW	7.5KW	7.5KW	7.5KW
Weight	6tons	7tons	6tons	7tons
Overall Dimension	11000*2100*5200mm	11000*2300*5200mm	11000*2100*5200mm	11000*2300*5200mm
Scatter (Used for the machines that compress the newspaper)				
Motor: 11KW				

MODEL	XTY-1250W110110-75	XTY-1250W110110L-75	XTY-1250W110125-75	XTY-1250W110125L-75
Pressure	125tons	125tons	125tons	125tons
Main Motor Power	55kw	55kw	55kw	55kw
Cycle Time (unload)	15s	17s	15s	17s
Oil Reservoir	1900L	1900L	1900L	1900L
Number of Belting	5lines	5lines	5lines	5lines
Wire Size	Ø3.0-3.4	Ø3.0-3.4	Ø3.0-3.4	Ø3.0-3.4
Feed Opening Size (L*W)	1600*1050mm	1800*1050mm	1600*1050mm	1800*1050mm
Chamber Size (L*W*H)	2100*1100*1100mm	2400*1100*1100mm	2100*1100*1250mm	2400*1100*1250mm
Bale Size (L*W*H, L can be adjustable)	L*1100*1100mm	L*1100*1100mm	L*1100*1250mm	L*1100*1250mm
Bale Density (OCC)	400-500kgs/m3	400-500kgs/m3	400-500kgs/m3	400-500kgs/m3
Throughput((30-60kgs/m3)	7-13tons/h	7-14tons/h	8-15tons/h	8-16tons/h
Machine Weight	19tons	20tons	21tons	22tons
Machine Overall Dimension	9000*4100*4200mm	9600*4100*4200mm	9000*4100*4200mm	9600*4100*4200mm
Feeding Device	Conveyor	Conveyor	Conveyor	Conveyor
Feeding Device	Conveyor	Conveyor	Conveyor	Conveyor
CONVEYOR				
Feeding Width	1600mm	1800mm	1800mm	1600mm
Speed	12m/min	12m/min	12m/min	12m/min
Power	7.5KW	7.5KW	7.5KW	7.5KW
Weight	6tons	7tons	6tons	7tons
Overall Dimension	11000*2100*5200mm	11000*2300*5200mm	11000*2100*5200mm	11000*2300*5200mm
Scatter (Used for the machines that compress the newspaper)				
Motor: 11KW				

Model	XTY-1500W110110-150	XTY-1500W110125-150	XTY-1500W110110L-180	XTY-1500W110125L-180
Pressure	150tons	150tons	150tons	150tons
Main Motor Power	55kw*2	55kw*2	45kw*3	45kw*3
Cooling System	water cooler	water cooler	water cooler	water cooler
Cycle Time (unload)	12s	12s	11s	11s
Oil Reservoir	2600L	2600L	3500L	3500L
Number of Belting	5lines	5lines	5lines	5lines
Wire Size	Ø3.4-3.6	Ø3.4-3.6	Ø3.4-3.6	Ø3.4-3.6
Feed Opening Size (L*W)	2000*1050mm	2000*1050mm	2200*1050mm	2200*1050mm
Chamber Size (L*W*H)	2600*1100*1100mm	2600*1100*1250mm	2800*1100*1100mm	2800*1100*1250mm
Bale Size (L*W*H, L can be adjustable)	L*1100*1100mm	L*1100*250mm	L*1100*1100mm	L*1100*1250mm
Bale Density (OCC)	550-600kgs/m3	550-600kgs/m3	550-600kgs/m3	550-600kgs/m3
Throughput (30-60kgs/m3)	15-20tons/h	17-25tons/h	19-28tons/h	20-30tons/h
Machine Weight	30tons	32tons	34tons	35tons
Machine Overall Dimension	11600*4200*6000mm	11600*4200*6000mm	12000*4200*6000mm	12000*4200*6000mm
Feeding Device	Conveyor	Conveyor	Conveyor	Conveyor
CONVEYOR				
Feeding Width	2000mm	2000mm	2200mm	2200mm
Speed	12m/min	0-12m/min	0-12m/min	0-12m/min
Power	11KW	11KW	11KW	11KW
Weight	14tons	14tons	14tons	14tons
Overall Dimension< /td>	18000*2500*7200mm	18000*2500*7200mm	18000*2500*7200mm	18000*2500*7200mm
Scatter (Used for the machines that compress the newspaper)				
Motor: 15KW				